

# OUTCOME MEASUREMENT ASSESSMENT TOOLS MATRIX

## Children’s Services, Youth & Young Adult Services, Adult & Older Adult Services, and Crisis & Engagement

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (for client) / # of Items	Staff Responsible to Apply	Frequency of Use
<b>C H I L D R E N ’ S   S E R V I C E S</b>						
<b><i>Eyberg Child Behavior Inventory (ECBI)</i></b> & Spanish	2-16	Behavior Problems  Intensity Scale – Frequency of Problems  Problem Scale – Parent’s Tolerance	<b><i>Diagnosis Specific:</i></b> <i>Oppositional and Conduct Behavior</i>	25 minutes / 36 questions	<b><i>Therapy:</i></b> <i>Clinician</i>  <b><i>Med Support:</i></b> <i>Service Coordinator</i>	<b><i>Therapy:</i></b> Initial Therapy Session, 4 <sup>th</sup> Session, and Upon Discharge  <b><i>Med Support:</i></b> INA, Quarterly, and Upon Discharge
<b><i>Center for Epidemiologic Studies Depression Scale – Mood Questionnaire (CES-D)</i></b> & Spanish	12 +	Depression	<b><i>Diagnosis Specific:</i></b> <i>Depression</i>	15 minutes / 20 questions	<b><i>Therapy:</i></b> <i>Clinician</i>  <b><i>Med Support:</i></b> <i>Service Coordinator</i>	<b><i>Therapy:</i></b> Initial Session, 4 <sup>th</sup> Session, and Upon Discharge  <b><i>Med Support:</i></b> INA, Quarterly, and Upon Discharge
<b><i>Revised Child Anxiety and Depression Scale - Parent (RCADS)</i></b> & Spanish	6-18	Separation Anxiety Social Phobia Generalized Anxiety Panic Disorder Obsessive Compulsive Major Depressive	<b><i>Diagnosis Specific:</i></b> <i>Anxiety</i>	25 minutes / 47 questions	<b><i>Therapy:</i></b> <i>Clinician</i>  <b><i>Med Support:</i></b> <i>Service Coordinator</i>	<b><i>Therapy:</i></b> Initial Therapy Session, 4 <sup>th</sup> Session, and Upon Discharge  <b><i>Med Support:</i></b> INA, Quarterly, and Upon Discharge
<b><i>Revised Child Anxiety and Depression Scale - Self-Report (RCADS)</i></b> & Spanish	6-18	Separation Anxiety Social Phobia Generalized Anxiety Panic Disorder Obsessive Compulsive Major Depressive	<b><i>Diagnosis Specific:</i></b> <i>Anxiety</i>	25 minutes / 47 questions	<b><i>Therapy:</i></b> <i>Clinician</i>  <b><i>Med Support:</i></b> <i>Service Coordinator</i>	<b><i>Therapy:</i></b> Initial Therapy Session, 4 <sup>th</sup> Session, and Upon Discharge  <b><i>Med Support:</i></b> INA, Quarterly, and Upon Discharge

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**C H I L D R E N ' S   S E R V I C E S**

<b>UCLA Post Traumatic Stress Reaction Index Parent (PTSD-RI-Parent)</b> & Spanish	3-18	PTSD Symptoms	<b>Diagnosis Specific:</b> Post-Traumatic Stress Disorder (PTSD)	25 minutes / 48 questions	Clinician	Initial Therapy Session and Upon Discharge
<b>UCLA Post Traumatic Stress Reaction Index Self-Report (PTSD-RI-SR)</b> & Spanish	7-18	PTSD Symptoms	<b>Diagnosis Specific:</b> Post-Traumatic Stress Disorder (PTSD)	25 minutes / 47 questions	Clinician	Initial Therapy Session and Upon Discharge
<b>Vanderbilt ADHD Diagnostic Parent Rating Scale (Vanderbilt-Parent)</b> & Spanish	6-12	Inattention Hyperactivity/Impulsivity Combined Type Oppositional Defiant Conduct Disorder Anxiety or Depression Performance Score	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	25 minutes / 55 questions	Clinician	Intake
<b>Vanderbilt ADHD Diagnostic Teacher Rating Scale (Vanderbilt-Teacher)</b>	6-12	Inattention Hyperactivity/Impulsivity Combined Type Opposition Defiant and Conduct Disorder Anxiety or Depression Symptoms Performance	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	25 minutes / 43 questions	Clinician	Intake
<b>Vanderbilt ADHD Diagnostic Parent Rating Scale Follow-Up (Vanderbilt-Parent)</b> & Spanish	6-12	Inattention Hyperactivity/Impulsivity Combined Type Oppositional Defiant Conduct Disorder Anxiety or Depression Performance Score	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	20 minutes / 26 questions	<b>Med Support/ MHS-RT:</b> Service Coordinator	<b>Med Support/MHS-RT:</b> Quarterly and Upon Discharge
<b>Vanderbilt ADHD Diagnostic Teacher Rating Scale Follow-up (Vanderbilt-Teacher)</b>	6-12	Inattention Hyperactivity/Impulsivity Combined Type Opposition Defiant and Conduct Disorder Anxiety or Depression Symptoms Performance	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	20 minutes / 26 questions	<b>Med Support/ MHS-RT:</b> Service Coordinator	<b>Med Support/MHS-RT:</b> Quarterly and Upon Discharge

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**C H I L D R E N ' S   S E R V I C E S**

<b>Youth Outcomes Questionnaire</b> <i>Parent</i> <b>(YOQ-Parent)</b> & Spanish	4-17	Interpersonal Distress Somatic Interpersonal Relations Social Problems Behavioral Dysfunction Critical Items	<b>General Instrument</b>	30 minutes / 64 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support/ MHS-RT:</b> <i>Service Coordinator</i>	<i>Intake</i>  <b>Med Support/MHS-RT:</b> <i>Annually and Upon Discharge</i>
<b>Youth Outcomes Questionnaire</b> <i>Self-Report</i> <b>(YOQ-SR)</b> & Spanish	12-18	Interpersonal Distress Somatic Interpersonal Relations Social Problems Behavioral Dysfunction Critical Items	<b>General Instrument</b>	30 minutes / 64 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support/ MHS-RT:</b> <i>Service Coordinator</i>	<i>Intake</i>  <b>Med Support/MHS-RT:</b> <i>Annually and Upon Discharge</i>

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**YOUTH & YOUNG ADULT SERVICES**

<b>Adult ADHD Self-Report Scale (ASRS-v1.1)</b>	18 +	ADHD Symptoms in Adults	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	5 minutes / 18 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	INA, Quarterly, and Upon Discharge
<b>Behavior and Symptom Identification Scale (BASIS-24) &amp; Spanish</b>	18 +	Depression and Functioning Interpersonal Relationships Psychosis Substance Abuse Emotional Liability Self-Harm	General Instrument	15 minutes / 37 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	Intake, Annually, and Upon Discharge
<b>Center for Epidemiologic Studies Depression Scale – Mood Questionnaire (CES-D) &amp; Spanish</b>	12 +	Depression	<b>Diagnosis Specific:</b> Depression	15 minutes / 20 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	<b>Therapy:</b> Initial Session, 4 <sup>th</sup> Session, and Upon Discharge  <b>Med Support:</b> INA, Quarterly, and Upon Discharge
<b>Conners 3 ADHD Index - Parent (3-P) &amp; Spanish</b>	6-18	Inattention Hyperactivity/Impulsivity Learning Problems Executive Functioning Aggression Peer Relations	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	55 minutes / 110 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	<b>Therapy:</b> Initial Session, 4 <sup>th</sup> Session, and Discharge  <b>Med Support/MHRT:</b> INA, Quarterly, and Discharge
<b>Conners 3 ADHD Index - Parent Short (3-PS) &amp; Spanish</b>	6-18	Inattention Hyperactivity/Impulsivity Learning Problems Executive Functioning Aggression Peer Relations	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	30 minutes / 45 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	<b>Therapy:</b> 4 <sup>th</sup> Session and Upon Discharge  <b>Med Support/MHRT:</b> Quarterly and Upon Discharge

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**YOUTH & YOUNG ADULT SERVICES**

<b>Conners 3 ADHD Index</b> <i>Self-Report</i> <b>(3-SR)</b> & Spanish	8-18	General Psychopathology Inattention Hyperactivity/Impulsivity Learning Problems Executive Functioning Aggression Peer & Family Relations ADHD Inattentive ADHD Hyperactive-Impulsive ADHD Combined Oppositional Defiant Disorder Conduct Disorder	<b>Diagnosis Specific:</b> <i>Attention Deficit Hyperactivity Disorder (ADHD)</i>	55 minutes / 99 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support:</b> <i>Service Coordinator</i>	<b>Therapy:</b> <i>Initial Session, 4<sup>th</sup> Session, and Upon Discharge</i>  <b>Med Support/MHRT:</b> <i>INA, Quarterly, and Upon Discharge</i>
<b>Conners 3 ADHD Index</b> <i>Self-Report Short</i> <b>(3-SRS)</b> & Spanish	8-18	General Psychopathology Inattention Hyperactivity/Impulsivity Learning Problems Executive Functioning Aggression Peer & Family Relations ADHD Inattentive ADHD Hyperactive-Impulsive ADHD Combined Oppositional Defiant Disorder Conduct Disorder	<b>Diagnosis Specific:</b> <i>Attention Deficit Hyperactivity Disorder (ADHD)</i>	30 minutes / 41 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support:</b> <i>Service Coordinator</i>	<b>Therapy:</b> <i>4<sup>th</sup> Session and Upon Discharge</i>  <b>Med Support/MHRT:</b> <i>Quarterly and Upon Discharge</i>
<b>Conners 3 ADHD Index</b> <i>Teacher</i> <b>(3-T)</b>	6-18	Inattention Hyperactivity/Impulsivity Learning Problems (Full Length Only) Executive Functioning (Full Length Only) Defiance/Aggression Peer/Family Relations	<b>Diagnosis Specific:</b> <i>Attention Deficit Hyperactivity Disorder (ADHD)</i>	50 minutes / 115 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support:</b> <i>Service Coordinator</i>	<b>Therapy:</b> <i>Initial Session, 4<sup>th</sup> Session, and Upon Discharge</i>  <b>Med Support/MHRT:</b> <i>INA, Quarterly, and Upon Discharge</i>

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**YOUTH & YOUNG ADULT SERVICES**

<b>Conners 3 ADHD Index</b> <i>Teacher Short</i> <b>(3-TS)</b>	6-18	Inattention Hyperactivity/Impulsivity Learning Problems (Full Length Only) Executive Functioning (Full Length Only) Defiance/Aggression Peer/Family Relations	<b>Diagnosis Specific:</b> <i>Attention Deficit Hyperactivity Disorder (ADHD)</i>	30 minutes / 41 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support:</b> <i>Service Coordinator</i>	<b>Therapy:</b> <i>4<sup>th</sup> Session and Upon Discharge</i>  <b>Med Support/MHRT:</b> <i>Quarterly and Upon Discharge</i>
<b>Eyberg Child Behavior Inventory</b> <b>(ECBI)</b> <i>&amp; Spanish</i>	2-16	Behavior Problems  Intensity Scale – Frequency of Problems  Problem Scale – Parent’s Tolerance	<b>Diagnosis Specific:</b> <i>Oppositional and Conduct Behavior</i>	25 minutes / 36 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support:</b> <i>Service Coordinator</i>	<b>Therapy:</b> <i>Initial Session, 4<sup>th</sup> Session, and Upon Discharge</i>  <b>Med Support/MHRT:</b> <i>INA, Quarterly, and Upon Discharge</i>
<b>Generalized Anxiety Disorder</b> <i>Assessment</i> <b>(GAD-7)</b> <i>&amp; Spanish</i>	18 +	Panic Disorder Social Anxiety Post-Traumatic Stress Disorder	<b>Diagnosis Specific:</b> <i>Anxiety</i>	10 minutes / 7 questions	<b>Therapy:</b> <i>Clinician</i>  <b>Med Support:</b> <i>Service Coordinator</i>	<i>Initial, Quarterly, and Upon Discharge</i>
<b>Illness Management and</b> <b>Recovery Scale:</b> <i>Client Self-Rating</i> <b>(IMRS)</b>	18 +	No Domains	<b>Diagnosis Specific:</b> <i>Recovery</i>	10 minutes / 15 questions	<b>Intake</b> <b>Assessment:</b> <i>Clinician</i>  <b>Quarterly/ Discharge:</b> <i>Service Coordinator</i>	<i>Initial, Quarterly, and Upon Discharge</i>
<b>PTSD Checklist-Specific</b> <i>Civilian</i> <b>(PCL-C)</b> <i>&amp; Spanish</i>	18 +	PTSD Symptoms	<b>Diagnosis Specific:</b> <i>Post-Traumatic Stress Disorder (PTSD)</i>	10 minutes / 17 questions	<i>Clinician</i>	<i>As Needed for Assessment</i>
<b>PTSD Checklist-Specific</b> <i>Monthly</i> <b>(PCL-S)</b> <i>&amp; Spanish</i>	18 +	PTSD Symptoms from the Past Month	<b>Diagnosis Specific:</b> <i>Post-Traumatic Stress Disorder (PTSD)</i>	10 minutes / 17 questions	<i>Clinician</i>	<i>Before the Start of Session 1 of CPT and a month after the end of CPT</i>

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**YOUTH & YOUNG ADULT SERVICES**

<b>PTSD Checklist-Specific - Weekly (PCL-S)</b> & Spanish	18 +	PTSD Symptoms from the Preceding Week	<b>Diagnosis Specific:</b> Post-Traumatic Stress Disorder (PTSD)	10 minutes / 17 questions	Clinician	Each Weekly Therapy Session for CPT Model
<b>Patient Health Questionnaire (PHQ-9)</b> & Spanish	18 +	Depression	<b>Diagnosis Specific:</b> Depression	15 minutes / 9 questions	Clinician	Each Session
<b>UCLA Post Traumatic Stress Reaction Index - Parent (PTSD-RI-Parent)</b> & Spanish	3-18	PTSD Symptoms	<b>Diagnosis Specific:</b> Post-Traumatic Stress Disorder (PTSD)	25 minutes / 48 questions	Clinician	Initial Therapy Session and Upon Discharge
<b>UCLA Post Traumatic Stress Reaction Index - Self-Report (PTSD-RI-SR)</b> & Spanish	7-18	PTSD Symptoms	<b>Diagnosis Specific:</b> Post-Traumatic Stress Disorder (PTSD)	25 minutes / 47 questions	Clinician	Initial Therapy Session and Upon Discharge
<b>Youth Outcomes Questionnaire Parent (YOQ-Parent)</b> & Spanish	4-17	Interpersonal Distress Somatic Interpersonal Relations Social Problems Behavioral Dysfunction Critical Items	<b>General Instrument</b>	30 minutes / 64 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	<b>FFT/TF-CBT:</b> Initial Therapy Session and Upon Discharge  <b>General Tool:</b> Initial, Quarterly, and Upon Discharge
<b>Youth Outcomes Questionnaire Self-Report (YOQ-SR)</b> & Spanish	12-18	Interpersonal Distress Somatic Interpersonal Relations Social Problems Behavioral Dysfunction Critical Items	<b>General Instrument</b>	30 minutes / 64 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	<b>ART/FFT/TF-CBT:</b> Initial Therapy Session and Upon Discharge  <b>General Tool:</b> Initial, Quarterly, and Upon Discharge

Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**ADULT & OLDER ADULT SERVICES**

<b>Adult ADHD Self Report Scale (ASRS-v1.1)</b>	18 +	ADHD Symptoms in Adults	<b>Diagnosis Specific:</b> Attention Deficit Hyperactivity Disorder (ADHD)	5 minutes / 18 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	INA, Quarterly, and Upon Discharge
<b>Behavior and Symptom Identification Scale (BASIS-24) &amp; Spanish</b>	18 +	Depression and Functioning Interpersonal Relationships Psychosis Substance Abuse Emotional Liability Self-Harm	<b>General Instrument</b>	15 minutes / 37 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	Intake, Annually, and Upon Discharge
<b>Generalized Anxiety Disorder Assessment (GAD-7) &amp; Spanish</b>	18 +	Panic Disorder Social Anxiety Post-Traumatic Stress Disorder	<b>Diagnosis Specific:</b> Anxiety	10 minutes / 7 questions	<b>Therapy:</b> Clinician  <b>Med Support:</b> Service Coordinator	Initial, Quarterly, and Upon Discharge
<b>Illness Management and Recovery Scale: Client Self-Rating (IMRS)</b>	18 +	No Domains	<b>Diagnosis Specific:</b> Recovery	10 minutes / 15 questions	<b>Intake Assessment:</b> Clinician  <b>Quarterly/ Discharge:</b> Service Coordinator	Initial, Quarterly, and Upon Discharge
<b>Patient Health Questionnaire (PHQ-9) &amp; Spanish</b>	18 +	Depression	<b>Diagnosis Specific:</b> Depression	15 minutes / 9 questions	Clinician	Each Session
<b>PTSD Checklist-Specific - Civilian (PCL-C) &amp; Spanish</b>	18 +	PTSD Symptoms	<b>Diagnosis Specific:</b> Post-Traumatic Stress Disorder (PTSD)	10 minutes / 17 questions	Clinician	As Needed for Assessment



Instrument Name	Age Group	Areas of Measurement (Specific Questions / Areas)	Type of Tool / Disorder	Time of Completion (client) / # of Items	Staff Responsible to Apply	Frequency of Use
-----------------	-----------	--	-------------------------	---	----------------------------	------------------

**ADULT & OLDER ADULT SERVICES**

<i>PTSD Checklist-Specific - Monthly (PCL-S) &amp; Spanish</i>	18 +	PTSD Symptoms from the Past Month	<b>Diagnosis Specific:</b> <i>Post-Traumatic Stress Disorder (PTSD)</i>	10 minutes / 17 questions	<i>Clinician</i>	<i>Before the Start of Session 1 of CPT and a month after the end of CPT</i>
<i>PTSD Checklist-Specific - Weekly (PCL-S) &amp; Spanish</i>	18 +	PTSD Symptoms from the Preceding Week	<b>Diagnosis Specific:</b> <i>Post-Traumatic Stress Disorder (PTSD)</i>	10 minutes / 17 questions	<i>Clinician</i>	<i>Each Weekly Therapy Session for CPT Model</i>